



REQUEST FOR QUOTES

Date: April 17, 2026

RFQ Title: WALLA WALLA BASIN NOXIOUS WEED TREATMENTS

RFQ Number: 2026-01/408-026

To: Prospective Vendor

SUBJECT: Request for Proposal Number

Quotes for: Herbicide applications within approximately 26.8 acres as described in the attached quote sheet for the purpose of controlling noxious weeds in fish habitat enhancement project areas will be received at the following mailing address or fax number:

1. Your Quotation should be received on or before **May 8, 2026** either by fax (at the fax number given below), email, or regular mail at the address given below:

Fax, email or mail completed quotations to:

CTUIR – DNR Fisheries Program

Attn: Julie Burke

46411 Timine Way

Pendleton, OR 97801

Email: julieburke@ctuir.org

Fax: (541) 429-7292

2. Quotations not transmitted by fax or email should be enclosed in an envelope that should be sealed and addressed to the contact at the address given above. The envelope should have the RFQ number and Attn: Julie Burke boldly identified.
3. Quotations should remain valid for a period of not less than 90 days after the submission date.
4. Quotations should be sent on your company's letter head and display units, unit cost, and total cost where possible. Terms and conditions stated in the RFQ will take precedence over any terms and conditions stated in your quotation.
5. Corrections, if any, should be made by crossing out, initialing, dating and re-writing.
6. Quotations shall give a comprehensive description of the proposed items, costs must be broken down into labor hours, travel, supplies, materials, equipment and overhead, and taxes if applicable. Lump sums will not be accepted.
7. Any deviation from the requested specifications shall be highlighted and explained.

8. The CTUIR will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the best value towards meeting the project objectives.
9. Notwithstanding the above, the CTUIR reserves the right to accept or reject any quotations and to cancel the bidding process and to reject all quotations at any time prior to the award of the contract.
10. The normal payment terms of the CTUIR are 30 days upon satisfactory delivery of goods or services and acceptance thereof by the CTUIR.

We look forward to receiving your quotation and thank you for your interest in supplying to the CTUIR.

TERMS AND CONDITIONS:

- All and any additional costs must be detailed in your quotation.
- All quotes are not necessarily accepted and this inquiry in no way obligates your company, its parent or affiliated entities.
- Technical inquiries of any nature must be submitted by 4:00 pm PST on May 1, 2026 can be addressed to: Ethan Green at (541) 429-7555 or ethangreen@ctuir.org
- Purchase terms or any other related inquiries can be addressed to: Julie A. Burke at (541) 429-7292 or julieburke@ctuir.org.

SCOPE OF WORK

1. Project Description

The Confederated Tribes of the Umatilla Indian Reservation (CTUIR) are currently accepting quotes for chemical control of noxious weeds within fish habitat improvement sites in the Walla Walla River Basin.

Specific qualifications will be required of the contractor to assist the Walla Walla River Basin Anadromous Fish Habitat Enhancement Project in achieving riparian habitat recovery goals and objectives. The selected contractor must hold a valid Oregon commercial pesticide operator's license and Washington commercial applicator's license. Each individual applicator must also be appropriately licensed in Washington and Oregon.

The selected contractor must follow all applicable federal and state laws governing the application of herbicides and all General Conservation Measures described in the FY2025 Bonneville Power Administration Habitat Improvement Program (HIP) handbook (Attachment A) to ensure compliance with the Endangered Species Act and National Environmental Policy Act and general protection of environmental quality. The HIP handbook describes allowable active ingredients and adjuvants, as well as approved methods of application, buffers necessary, and maximum application rates.

The objective of the work is to control noxious weeds on approximately 26.8 acres associated with riparian conservation areas and fish habitat enhancement projects (Table 1 and Attachment D). Within the treatment areas, the selected contractor will treat for priority weeds listed on the Umatilla County A and B lists, Walla Walla County Class A and Class B lists, Columbia County Class A and Class B lists, and CTUIR Integrated Weed Management Plan Priority 1 and Priority 2 lists (Attachment B).

Task 1: Identify Nuisance Weeds and Determine Treatment Methods

The Selected Contractor shall review the known noxious weeds for each treatment area identify noxious weeds and determine the appropriate herbicide, application rate and method, and plant phenology for effective treatment. Should the contractor identify priority weed species not included in the known noxious weed list, CTUIR will be provided an additional report including specific locations of the occurrence for future management decisions.

Task 2: Herbicide Application and Methods

Property Information	Brief Treatment Description	Number of Acres
WW River Forks- T5, R36E, Section 22, Umatilla County, OR	The treatment area is south of the high-water line. Scotch Thistle, common Bugloss, Canada Thistle, Himalayan Blackberry, Puncture vine, Poison Hemlock.	6.4
North Fork Touchet River RM 1.8-2.3- North Fork Touchet- T9N, R39N, Section 3, Columbia County, WA	The treatment area is south of the high-water line. Poison Hemlock, Hounds Tongue, Bull Thistle, Sulfur Cinquefoil, Himalayan Blackberry, Common Teasel, St. Johnswort, Black Locust, Reed Canary Grass.	14.5
NF Touchet River RM 1.3-1.8- North Fork Touchet-T9N, R39E, Section 4, Columbia County, WA	The treatment area is south of the high-water line. Diffuse Knapweed, Poison Hemlock, Hounds Tongue, Spotted Knapweed, Himalayan Blackberry, Common Teasel, Yellow Star Thistle.	5.9
Total Acres		26.8

Task 1: Identify Nuisance Weeds and Determine Treatment Methods

The Selected Contractors shall review the known noxious weeds for each treatment area, identify noxious weeds and determine the appropriate herbicide, application rate and method, and plant phenology for effective treatment. Should the contractor identify priority weed species not included in the known noxious weed list, CTUIR will be provided with an additional report including specific locations of the occurrence for future management decisions.

Task 2: Herbicide Application and Methods

The contractor shall make said applications in accordance with applicable Oregon Revised Statute, Revised Code of Washington, and Federal laws and regulations. The CTUIR will coordinate all pertinent access along with State and Federal clearances and permits necessary.

Contractor will provide all equipment needed along with methods of transportation of the equipment.



Contractor Quote Sheet

Contractor Quote Sheet

A total of approximately 26.8 acres of a riparian corridor and upland area will be included in this contract as follows. **Contractor quotes are expected to include labor and materials for spring or fall treatments at the respective properties.**

Site	Approximate Acreage	Season of Treatment	Labor (\$ per Hour)	Materials (\$)	Subtotal
Forks	6.4				
NF Touchet RM 1.3-1.8	5.9				
NF Touchet River RM 1.8-2.3	14.5				
GRAND TOTAL					

Name of Firm: _____

Address: _____

Phone Number: _____

By: _____
(Signature)

Title: _____

Price Valid for _____ days

Attachment A – BPA Habitat Improvement Program Handbook

The current BPA Habitat Improvement Program handbook can be found here:

<https://www.bpa.gov/-/media/Aep/environmental-initiatives/habitat-improvement-program/habitat-improvement-program-handbook.pdf>

Section 4.3.2 of the handbook contains general conservation measures for herbicide application in riverine systems.

Attachment B – Walla Walla County and Columbia County, WA, Umatilla County, OR, and CTUIR Noxious Weed Lists

Walla Walla County

Class A Weeds: Non-native species whose distribution in Washington is still limited. Preventing new infestations and eradicating existing infestations are the highest priority. **Eradication of all Class A plants is required by law.**

Class B Weeds: Non-native species presently limited to portions of the State. Species are **designated** for required control in regions where they are not yet widespread. Preventing new infestations in these areas is a high priority. **In regions where a Class B species is already abundant, control is decided at the local level, with containment as the primary goal.** Please contact your County Noxious Weed Control Board to learn which species are designated for control in your area.

Class C Weeds: Noxious weeds that are typically widespread in WA or are of special interest to the state's agricultural industry. The Class C status allows county weed boards to require control if locally desired, or they may choose to provide education or technical consultation.

Class A Weeds Eradication is required

common crupina	<i>Crupina vulgaris</i>
cordgrass, common	<i>Spartina anglica</i>
cordgrass, dense-flowered	<i>Spartina densiflora</i>
cordgrass, saltmeadow	<i>Spartina patens</i>
cordgrass, smooth	<i>Spartina alterniflora</i>
dyer's woad	<i>Isatis tinctoria</i>
eggleaf spurge	<i>Euphorbia oblongata</i>
false brome	<i>Brachypodium sylvaticum</i>
floating primrose-willow	<i>Ludwigia peploides</i>
flowering rush	<i>Butomus umbellatus</i>
French broom	<i>Genista monspessulana</i>
garlic mustard	<i>Alliaria petiolata</i>
giant hogweed	<i>Heracleum mantegazzianum</i>
goatsrue	<i>Galega officinalis</i>
hydrilla	<i>Hydrilla verticillata</i>
Johnsongrass	<i>Sorghum halepense</i>
knapweed, bighead	<i>Centaurea macrocephala</i>
knapweed, Vochin	<i>Centaurea nigrescens</i>
kudzu	<i>Pueraria montana</i> var. <i>lobata</i>
meadow dary	<i>Salvia pratensis</i>
oriental clematis	<i>Clematis orientalis</i>
Palmer amaranth	<i>Amaranthus palmeri</i>
purple starthistle	<i>Centaurea calcitrapa</i>
reed sweetgrass	<i>Glyceria maxima</i>

ricefield bulrush	<i>Schoenoplectus mucronatus</i>
sage, dary	<i>Salvia sclarea</i>
sage, Mediterranean	<i>Salvia aethiops</i>
silverleaf nightshade	<i>Solanum elaeagnifolium</i>
small-flowered jewelweed	<i>Impatiens parviflora</i>
South American spongeplant	<i>Limnolobium laevigatum</i>
Spanish broom	<i>Spartium junceum</i>
Syrian beancaper	<i>Zygophyllum fabago</i>
Texas blueweed	<i>Helianthus ciliaris</i>
thistle, Italian	<i>Carduus pycnocephalus</i>
thistle, milk	<i>Silybum marianum</i>
thistle, slenderflower	<i>Carduus tenuiflorus</i>
thistle, Turkish	<i>Carduus cinereus</i>
variable-leaf milfoil and hybrid	<i>Myriophyllum heterophyllum</i> and <i>M. heterophyllum</i> x <i>M. hippuroides</i>
wild four-o'clock	<i>Mirabilis nyctaginea</i>

Class B Weeds

"Not Designated for control"

blueweed	<i>Echium vulgare</i>
Brazilian elodea	<i>Egeria densa</i>
bugloss, annual	<i>Lycopsis arvensis</i>
bugloss, common	<i>Anchusa officinalis</i>
*butterfly bush	<i>Buddleia davidii</i>
camelthorn	<i>Alhagi maurorum</i>
common fennel, (except bulbing fennel)	<i>Foeniculum vulgare</i> except <i>F. vulgare</i> var. <i>azoricum</i>)
*common reed (nonnative genotypes only)	<i>Phragmites australis</i>
*common tansy	<i>Tanacetum vulgare</i>
Dalmatian toadflax	<i>Linaria dalmatica</i> ssp. <i>dalmatica</i>
Eurasian watermilfoil	<i>Myriophyllum spicatum</i>
European coltsfoot	<i>Tussilago farfara</i>
fanwort	<i>Cabomba caroliniana</i>
gorse	<i>Ulex europaeus</i>
grass-leaved arrowhead	<i>Sagittaria graminea</i>
hairy willowherb	<i>Epilobium hirsutum</i>
hanging sedge	<i>Carex pendula</i> , <i>Carex pendula</i> subsp. <i>pendula</i> and <i>Carex pendula</i> subsp. <i>agastachys</i>
hawkweed oxtongue	<i>Picris hieracioides</i>
hawkweed, orange	<i>Hieracium aurantiacum</i>

hawkweeds: All nonnative species & hybrids of the meadow subgenus	<i>Hieracium</i> , subgenus <i>Pilosella</i>
hawkweeds: All nonnative species & hybrids of the wall subgenus	<i>Hieracium</i> , subgenus <i>Hieracium</i>
herb-Robert	<i>Geranium robertianum</i>
hoary alyssum	<i>Berteroa incana</i>
*houndstongue	<i>Cynoglossum officinale</i>
*indigobush	<i>Amorpha fruticosa</i>
knapweed, black	<i>Centaurea nigra</i>
*knapweed, brown	<i>Centaurea jacea</i>
*knapweed, diffuse	<i>Centaurea diffusa</i>
*knapweed, meadow	<i>Centaurea</i> x <i>gerstlaueri</i>
*knapweed, Russian	<i>Rhaponticum repens</i>
*knapweed, spotted	<i>Centaurea stoebe</i>
knotweed, Bohemian	<i>Fallopia</i> x <i>bohemica</i>
knotweed, giant	<i>Fallopia sachalinensis</i>
knotweed, Himalayan	<i>Persicaria wallichii</i>
knotweed, Japanese	<i>Fallopia japonica</i>
*kochia	<i>Bassia scoparia</i>
lesser celandine	<i>Ficaria verna</i>
loosestrife, garden	<i>Lysimachia vulgaris</i>
loosestrife, purple	<i>Lythrum salicaria</i>
loosestrife, wand	<i>Lythrum virgatum</i>
*Malta starthistle	<i>Centaurea melitensis</i>
parrotfeather	<i>Myriophyllum aquaticum</i>
*perennial pepperweed	<i>Lepidium latifolium</i>
*poison hemlock	<i>Conium maculatum</i>
policeman's helmet	<i>Impatiens glandulifera</i>
*puncturevine	<i>Tribulus terrestris</i>
Ravenna grass	<i>Tripsidium ravennae</i>
rough chervil	<i>Chaerophyllum temulum</i>
*rush skeletonweed	<i>Chondrilla juncea</i>
saltcedar	<i>Tamarix ramosissima</i>
Scotch broom	<i>Cytisus scoparius</i>
shiny geranium	<i>Geranium lucidum</i>
spurge flax	<i>Thymelaea passerina</i>
spurge laurel	<i>Daphne laureola</i>
spurge, leafy	<i>Euphorbia virgata</i>
spurge, myrtle	<i>Euphorbia myrsinites</i>
sulfur cinquefoil	<i>Potentilla recta</i>
tansy ragwort	<i>Jacobaea vulgaris</i>
thistle, musk	<i>Carduus nutans</i>
thistle, plumless	<i>Carduus acanthoides</i>
*thistle, Scotch	<i>Onopordum acanthium</i>
*velvetleaf	<i>Abutilon theophrasti</i>

water primrose	<i>Ludwigia hexapetala</i>
white bryony	<i>Bryonia alba</i>
wild basil	<i>Clinopodium vulgare</i>
wild chervil	<i>Anthriscus sylvestris</i>
yellow archangel	<i>Lamium galeobdolon</i>
yellow floating heart	<i>Nymphoides peltata</i>
*yellow nutsedge	<i>Cyperus esculentus</i>
*yellow starthistle	<i>Centaurea solstitialis</i>
Class C Weeds	
absinth wormwood	<i>Artemisia absinthium</i>
Austrian fieldcress	<i>Rorippa austriaca</i>
babysbreath	<i>Gypsophila paniculata</i>
beach grasses, European, American, and hybrid	<i>Ammophila arenaria</i> , <i>A. breviligulata</i> , and <i>A. arenaria</i> x <i>A. breviligulata</i>
black henbane	<i>Hyoscyamus niger</i>
blackgrass	<i>Alopecurus myosuroides</i>
buffalobur	<i>Solanum rostratum</i>
cereal rye	<i>Secale cereale</i>
common barberry	<i>Berberis vulgaris</i>
common catsear	<i>Hypochaeris radicata</i>
common groundsel	<i>Senecio vulgaris</i>
common St. Johnswort	<i>Hypericum perforatum</i>
common teasel	<i>Dipsacus fullonum</i>
curlyleaf pondweed	<i>Potamogeton crispus</i>
English hawthorn	<i>Crataegus monoqyna</i>
English ivy - four cultivars only	<i>Hedera helix</i> 'Baltica', 'Pittsburgh', and 'Star', and <i>H. hibernica</i> 'Hibernica'
Eurasian watermilfoil hybrid	<i>Myriophyllum spicatum</i> x <i>Myriophyllum sibiricum</i>
evergreen blackberry	<i>Rubus laciniatus</i>
field bindweed	<i>Convolvulus arvensis</i>
fragrant waterlily	<i>Nymphaea odorata</i>
green alkanet	<i>Pentaglottis sempervirens</i>
hairy whitetop	<i>Lepidium appelianum</i>
Himalayan blackberry	<i>Rubus bifrons</i> (<i>Rubus armeniacus</i>)
hoary cross	<i>Lepidium draba</i>
Italian arum	<i>Arum italicum</i>
Japanese eelgrass	<i>Nanozostera japonica</i>
jubata grass	<i>Cortaderia jubata</i>
jointed goatgrass	<i>Aegilops cylindrica</i>
lawnweed	<i>Soliva sessilis</i>
ngspine sandbur	<i>Cenchrus longispinus</i>
medusahead	<i>Taeniatherum caput-medusae</i>

nonnative cattail species & hybrids (reminder, does not include the native common cattail, <i>Typha latifolia</i>)	<i>Typha</i> species
old man's beard	<i>Clematis vitalba</i>
oxeye daisy	<i>Leucanthemum vulgare</i>
Pampas grass	<i>Cortaderia selloana</i>
perennial sowthistle	<i>Sonchus arvensis</i>
reed canarygrass	<i>Phalaris arundinacea</i>
Russian olive	<i>Elaeagnus angustifolia</i>
scentless mayweed	<i>Tripleurospermum inodorum</i>
smoothseed alfalfa dodder	<i>Cuscuta approximata</i>
spikeweed	<i>Centromadia pungens</i>
spiny cocklebur	<i>Xanthium spinosum</i>
spotted jewelweed	<i>Impatiens capensis</i>
Swainsonpea	<i>Sphaerophysa salsula</i>
thistle, bull	<i>Cirsium vulgare</i>
thistle, Canada	<i>Cirsium arvense</i>
tree-of-heaven	<i>Ailanthus altissima</i>
ventenata	<i>Ventenata dubia</i>
white cockle	<i>Silene latifolia</i>
wild carrot (except where commercially grown)	<i>Daucus carota</i>
yellow flag iris	<i>Iris pseudacorus</i>
yellow toadflax	<i>Linaria vulgaris</i>

To learn more about noxious weeds and noxious weed control in Washington State, please contact:

**Walla Walla County
Noxious Weed Control Board**

328 West Poplar Street
Walla Walla, WA 99362 (509)524-2685
weedsww@co.walla-walla.wa.us

WA State Noxious Weed Control Board

P.O. Box 42560
Olympia, WA 98504-2560
(360) 725-5764

Email: noxiousweeds@agr.wa.gov
Website: <http://www.nwcb.wa.gov>

Or

WA State Department of Agriculture
(509) 249-6973

2024 Washington State Noxious Weed List



Palmer amaranth, *Amaranthus palmeri*, is a weed that can cause a huge negative impact on agriculture.

Photo by Howard F. Schwartz,
Colorado State University, bugwood.org

List arranged alphabetically by:

COMMON NAME



Columbia County

<u>Class A Weeds</u>			The plants highlighted in blue have known infestations in Columbia County.
Eradication is required			
common crupina	<i>Crupina vulgaris</i>	1	
cordgrass, common	<i>Spartina anglica</i>	2	
cordgrass, dense-flowered	<i>Spartina densiflora</i>	3	
cordgrass, saltmeadow	<i>Spartina patens</i>	4	
cordgrass, smooth	<i>Spartina alterniflora</i>	5	
dyer's woad	<i>Isatis tinctoria</i>	6	Known to exist in Columbia County
eggleaf spurge	<i>Euphorbia oblongata</i>	7	
false brome	<i>Brachypodium sylvaticum</i>	8	
floating primrose-willow	<i>Ludwigia peploides</i>	9	
flowering rush	<i>Butomus umbellatus</i>	10	
French broom	<i>Genista monspessulana</i>	11	
garlic mustard	<i>Alliaria petiolata</i>	12	
giant hogweed	<i>Heracleum mantegazzianum</i>	13	
goatsrue	<i>Galega officinalis</i>	14	
hydrilla	<i>Hydrilla verticillata</i>	15	
Johnsongrass	<i>Sorghum halepense</i>	16	
knapweed, bighead	<i>Centaurea macrocephala</i>	17	
knapweed, Vochin	<i>Centaurea nigrescens</i>	18	
kudzu	<i>Pueraria montana var. lobata</i>	19	
meadow clary	<i>Salvia pratensis</i>	20	
oriental clematis	<i>Clematis orientalis</i>	21	
purple starthistle	<i>Centaurea calcitrapa</i>	22	
reed sweetgrass	<i>Glyceria maxima</i>	23	
ricefield bulrush	<i>Schoenoplectus mucronatus</i>	24	
sage, clary	<i>Salvia sclarea</i>	25	
sage, Mediterranean	<i>Salvia aethiopsis</i>	26	Known to exist in Columbia County
silverleaf nightshade	<i>Solanum elaeagnifolium</i>	27	
Spanish broom	<i>Spartium junceum</i>	29	
spurge flax	<i>Thymelaea passerina</i>	30	
Syrian beancaper	<i>Zygophyllum fabago</i>	31	
Texas blueweed	<i>Helianthus ciliaris</i>	32	
thistle, Italian	<i>Carduus pycnocephalus</i>	33	
thistle, milk	<i>Silybum marianum</i>	34	
thistle, slenderflower	<i>Carduus tenuiflorus</i>	35	

variable-leaf milfoil	<i>Myriophyllum heterophyllum</i>	36	
wild four-o'clock	<i>Mirabilis nyctaginea</i>	37	
Class B Weeds			If the weed on this B list is not highlighted, then it is required by law in Columbia County to control it.
			49 designates in CC
blueweed	<i>Echium vulgare</i>	1	
Brazilian elodea	<i>Egeria densa</i>	2	
bugloss, annual	<i>Anchusa arvensis</i>	3	
bugloss, common	<i>Anchusa officinalis</i>	4	
butterfly bush	<i>Buddleja davidii</i>	5	
camelthorn	<i>Alhagi maurorum</i>	6	
common fennel, (except bulbing fennel)	<i>Foeniculum vulgare</i> (except <i>F. vulgare</i> var. <i>azoricum</i>)	7	
common reed (nonnative genotypes only)	<i>Phragmites australis</i>	8	
Dalmatian toadflax	<i>Linaria dalmatica</i> ssp. <i>dalmatica</i>	9	
Eurasian watermilfoil	<i>Myriophyllum spicatum</i>	10	
fanwort	<i>Cabomba caroliniana</i>	11	
gorse	<i>Ulex europaeus</i>	12	
grass-leaved arrowhead	<i>Sagittaria graminea</i>	13	
hairy willowherb	<i>Epilobium hirsutum</i>	14	
hawkweed oxtongue	<i>Picris hieracioides</i>	15	
hawkweed, orange	<i>Hieracium aurantiacum</i>	16	
hawkweeds: All nonnative species and hybrids of the meadow subgenus	<i>Hieracium</i> , subgenus <i>Pilosella</i>	17	
hawkweeds: All nonnative species and hybrids of the wall subgenus	<i>Hieracium</i> , subgenus <i>Hieracium</i>	18	
herb-Robert	<i>Geranium robertianum</i>	19	
hoary alyssum	<i>Berteroa incana</i>	20	
houndstongue	<i>Cynoglossum officinale</i>	21	
indigobush	<i>Amorpha fruticosa</i>	22	
knapeed, black	<i>Centaurea nigra</i>	23	
knapeed, brown	<i>Centaurea jacea</i>	24	
knapeed, diffuse	<i>Centaurea diffusa</i>	25	
knapeed, meadow	<i>Centaurea x moncktonii</i>	26	
knapeed, Russian	<i>Acroptilon repens</i>	27	
knapeed, spotted	<i>Centaurea stoebe</i>	28	
knotweed, Bohemian	<i>Polygonum x bohemicum</i>	29	
knotweed, giant	<i>Polygonum sachalinense</i>	30	
knotweed, Himalayan	<i>Polygonum polystachyum</i>	31	
knotweed, Japanese	<i>Polygonum cuspidatum</i>	32	
kochia	<i>Kochia scoparia</i>	33	
lesser celandine	<i>Ficaria verna</i>	34	
loosestrife, garden	<i>Lysimachia vulgaris</i>	35	
loosestrife, purple	<i>Lythrum salicaria</i>	36	
loosestrife, wand	<i>Lythrum virgatum</i>	37	
parrotfeather	<i>Myriophyllum aquaticum</i>	38	
perennial pepperweed	<i>Lepidium latifolium</i>	39	
poison hemlock	<i>Conium maculatum</i>	40	
policeman's helmet	<i>Impatiens glandulifera</i>	41	
puncturevine	<i>Tribulus terrestris</i>	42	
Ravenna grass	<i>Saccharum ravennae</i>	43	

Umatilla County

Table I: A Listed Weeds

Common Name	Scientific Name
African rue	<i>Peganum harmala</i>
Camelthorn	<i>Alhagi pseudalhagi</i>
Cape-ivy	<i>Delairea odorata</i>
Coltsfoot	<i>Tussilago farfara</i>
Common frogbit	<i>Hydrocharis morsus-ranae</i>
Cordgrass	
Common	<i>Spartina anglica</i>
Dense-flowered	<i>Spartina densiflora</i>
Saltmeadow	<i>Spartina patens</i>
Smooth	<i>Spartina alterniflora</i>
Delta arrowhead	<i>Sagittaria platyphyla</i>
European water chestnut	<i>Trapa natans</i>
Flowering rush	<i>Butomus umbellatus</i>
Garden yellow loosestrife	<i>Lysimachia vulgaris</i>
Giant hogweed	<i>Heracleum mantegazzianum</i>
Goatgrass	
Barbed	<i>Aegilops triuncialis</i>
Ovate	<i>Aegilops ovata</i>
Goatsrue	<i>Galega officinalis</i>
Hawkweed	
King-devil	<i>Hieracium piloselloides</i>
Mouse-ear	<i>Hieracium pilosella</i>
Orange	<i>Hieracium aurantiacum</i>
Yellow	<i>Hieracium floribundum</i>
Hoary alyssum	<i>Berteroa incana</i>
Hydrilla	<i>Hydrilla verticillata</i>
Japanese dodder	<i>Cuscuta japonica</i>
Kudzu	<i>Pueraria lobata</i>
Matgrass	<i>Nardus stricta</i>
Oblong spurge	<i>Euphorbia oblongata</i>
Palmer amaranth	<i>Amaranthus palmeri</i>
Paterson's curse	<i>Echium plantagineum</i>
Purple nutsedge	<i>Cyperus rotundus</i>
Ravennagrass	<i>Saccharum ravennae</i>
Squarrose knapweed	<i>Centaurea virgata</i>

(Continued)

Table I: A Listed Weeds

Common Name	Scientific Name
Starthistle	
Iberian	<i>Centaurea iberica</i>
Purple	<i>Centaurea calcitrapa</i>
Thistle	
Plumeless	<i>Carduus acanthoides</i>
Smooth distaff	<i>Carthamus baeticus</i>
Taurian	<i>Onopordum tauricum</i>
Turkish	<i>Carduus cinereus</i>
Wetted (curly plumeless)	<i>Carduus crispus</i>
Woolly distaff	<i>Carthamus lanatus</i>
Water soldiers	<i>Stratiotes aloides</i>
West Indian spongeplant	<i>Limnobium laevigatum</i>
White bryonia	<i>Bryonia alba</i>
Yellow floating heart	<i>Nymphoides peltata</i>
Yellowtuft	<i>Alyssum murale, A. corsicum</i>

Table II: B Listed Weeds

Common Name	Scientific Name
Armenian (Himalayan) blackberry	<i>Rubus armeniacus</i> (<i>R. procerus</i> , <i>R. discolor</i>)
Biddy-biddy	<i>Acaena novae-zelandiae</i>
Broom	
French*	<i>Genista monspessulana</i>
Portuguese (T)	<i>Cytisus striatus</i>
Scotch*	<i>Cytisus scoparius</i>
Spanish	<i>Spartium junceum</i>
Butterfly bush	<i>Buddleja davidii</i> (<i>B. variabilis</i>)
Common bugloss (T)	<i>Anchusa officinalis</i>
Common crupina (T)	<i>Crupina vulgaris</i>
Common reed	<i>Phragmites australis</i> ssp. <i>australis</i>
Common viper's bugloss (T)	<i>Echium vulgare</i>
Cutleaf teasel	<i>Dipsacus laciniatus</i>
Dyer's woad (T)	<i>Isatis tinctoria</i>
English hawthorn	<i>Crataegus monogyna</i>
Eurasian watermilfoil	<i>Myriophyllum spicatum</i>
False brome	<i>Brachypodium sylvaticum</i>
Field bindweed	<i>Convolvulus arvensis</i>
Garlic mustard (T)	<i>Alliaria petiolata</i>
Geranium	
Herb Robert	<i>Geranium robertianum</i>
Shiny leaf	<i>Geranium lucidum</i>
Giant reed (T)	<i>Arundo donax</i>
Gorse* (T)	<i>Ulex europaeus</i>
Halogeton	<i>Halogeton glomeratus</i>
Houndstongue	<i>Cynoglossum officinale</i>

* Biocontrol (See page 4)

(T) T-Designated Weed (See page 4)

(Continued)

Table II: B Listed Weeds

Common Name	Scientific Name
Indigo bush	<i>Amorpha fruticosa</i>
Ivy	
Atlantic	<i>Hedera hibernica</i>
English	<i>Hedera helix</i>
Jointed goatgrass	<i>Aegilops cylindrica</i>
Jubata grass	<i>Cortaderia jubata</i>
Knapweed	
Diffuse*	<i>Centaurea diffusa</i>
Meadow*	<i>Centaurea pratensis</i>
Russian*	<i>Acroptilon repens</i>
Spotted*	<i>Centaurea stoebe (C. maculosa)</i>
Knotweed	
Bohemian*	<i>Fallopia x bohemica</i>
Giant*	<i>Fallopia sachalinensis (Polygonum)</i>
Himalayan	<i>Polygonum polystachyum</i>
Japanese*	<i>Fallopia japonica (Polygonum)</i>
Kochia	<i>Kochia scoparia</i>
Lesser celandine	<i>Ranunculus ficaria</i>
Meadow hawkweed (T)	<i>Pilosella caespitosum (Hieracium)</i>
Mediterranean sage*	<i>Salvia aethiopsis</i>
Medusahead rye	<i>Taeniatherum caput-medusae</i>
Old man's beard	<i>Clematis vitalba</i>
Parrot feather	<i>Myriophyllum aquaticum</i>
Perennial peavine	<i>Lathyrus latifolius</i>
Perennial pepperweed (T)	<i>Lepidium latifolium</i>
Pheasant's eye	<i>Adonis aestivalis</i>
Pine echium (T)	<i>Echium pininana</i>
Poison hemlock*	<i>Conium maculatum</i>
Policeman's helmet	<i>Impatiens glandulifera</i>
Primrose-willow	
Large-flower (T)	<i>Ludwigia grandiflora</i>
Water primrose (T)	<i>Ludwigia hexapetala</i>
Floating (T)	<i>Ludwigia peploides</i>

*Biocontrol (See page 4)

(T) T-Designated Weed (See page 4)

(Continued)

Table II: B Listed Weeds

Common Name	Scientific Name
Puncturevine*	<i>Tribulus terrestris</i>
Purple loosestrife*	<i>Lythrum salicaria</i>
Ribbongrass (T)	<i>Phalaris arundinacea</i> var. <i>Picta</i>
Rose	
Dog	<i>Rosa canina</i>
Sweetbriar	<i>Rosa rubiginosa</i>
Rush skeletonweed* (T)	<i>Chondrilla juncea</i>
Saltcedar* (T)	<i>Tamarix ramosissima</i>
Small broomrape	<i>Orbanche minor</i>
South American waterweed	<i>Egeria densa</i> (<i>Elodea</i>)
Spanish heath	<i>Erica lusitanica</i>
Spurge laurel	<i>Daphne laureola</i>
Spurge	
Leafy* (T)	<i>Euphorbia esula</i>
Myrtle	<i>Euphorbia myrsinites</i>
St. Johnswort	<i>Hypericum perforatum</i>
Sulfur cinquefoil	<i>Potentilla recta</i>
Swainsonpea	<i>Sphaerophysa salsula</i>
Tansy ragwort* (T)	<i>Senecio jacobaea</i> (<i>Jacobaea vulgaris</i>)
Thistle	
Bull	<i>Cirsium vulgare</i>
Canada*	<i>Cirsium arvense</i>
Italian	<i>Carduus pycnocephalus</i>
Milk	<i>Silybum marianum</i>
Musk	<i>Carduus nutans</i>
Scotch	<i>Onopordum acanthium</i>
Slender-flowered	<i>Carduus tenuiflorus</i>
Toadflax	
Dalmatian*	<i>Linaria dalmatica</i>
Yellow*	<i>Linaria vulgaris</i>
Tree of heaven	<i>Ailanthus altissima</i>

*Biocontrol (See page 4)

(T) T-Designated Weed (See page 4)

(Continued)

Table II: B Listed Weeds

Common Name	Scientific Name
Ventenata grass	<i>Ventenata dubia</i>
Whitetop	
Hairy	<i>Lepidium pubescens</i>
Lens-podded	<i>Lepidium chalepensis</i>
Whitetop (hoary cress)*	<i>Lepidium draba</i>
Yellow archangel	<i>Lamiastrum galeobdolon</i>
Yellow flag iris	<i>Iris pseudacorus</i>
Yellow nutsedge	<i>Cyperus esculentus</i>
Yellow starthistle*	<i>Centaurea solstitialis</i>

*Biocontrol (See page 4)

(T) T-Designated Weed (See page 4)

CTUIR IWMP

TABLE 2-2 INVASIVE WEEDS KNOWN TO OCCUR IN THE IWMP MANAGEMENT AREA			
Common name	Scientific name	Umatilla County Noxious Weed List Designation ¹	Oregon Noxious Weed List Designation ¹
Poison hemlock	<i>Conium maculatum</i>	B-listed	B-listed
Puncturevine	<i>Tribulus terrestris</i>	B-listed	B-listed
Purple loosestrife	<i>Lythrum salicaria</i>	A-listed	B-listed
Rattail fescue	<i>Vulpia myuros</i>	–	–
Reed canarygrass	<i>Phalaris arundinaceae</i>	–	B-listed, T-designated
Rush skeletonweed	<i>Chondrilla juncea</i>	A-listed	B-listed, T-designated
Russian knapweed	<i>Acroptilon repens</i>	B-listed	B-listed
Russian olive	<i>Elaeagnus angustifolia</i>	–	–
Russian thistle	<i>Salsola kali</i>	–	–
Scotch thistle	<i>Onopordum acanthium</i>	B-listed	B-listed
Smooth brome	<i>Bromus inermis</i>	–	–
Spikeweed	<i>Centromadia pungens</i>	A-listed	B-listed
Spotted knapweed	<i>Centaurea stoebe</i>	A-listed	B-listed, T-designated
Spreading hedge-parsley	<i>Torilis arvensis</i>	–	–
St. Johnswort	<i>Hypericum perforatum</i>	B-listed	B-listed
Sulfur cinquefoil	<i>Potentilla recta</i>	–	B-listed
Swainsonpea	<i>Sphaerophysa salsula</i>	–	B-listed
Sweetbriar rose	<i>Rosa eglanteria</i>	–	–
Tall oatgrass	<i>Arrhenatherum elatius</i>	–	–
Tansy ragwort	<i>Senecio jacobaea</i>	A-listed	B-listed
Tree of heaven	<i>Ailanthus altissima</i>	–	B-listed
Ventenata	<i>Ventenata dubia</i>	–	–
Viper's bugloss	<i>Echium vulgare</i>	A-listed	–
Whitetop (hoary cress)	<i>Cardaria draba</i>	B-listed	–
Yellow flag iris	<i>Iris pseudacorus</i>	A-listed	B-listed
Yellow starthistle	<i>Centaurea solstitialis</i>	B-listed	B-listed

NOTES:
¹A-listed: A weed of known economic importance that occurs in the state/county in small enough infestations to make eradication or containment possible; or is not known to occur, but its presence in neighboring states/county make future occurrence in Oregon seem imminent.
 B-listed: A weed of economic importance which is regionally abundant, but which may have limited distribution in some counties.
 T-designated: A designated group of weed species that are selected and will be the focus for prevention and control by the Noxious Weed Control Program. Action against these weeds will receive priority (Oregon Department of Agriculture 2017)

APPENDIX C – CTUIR 2018 WEED LIST

TABLE C-1 2018 CONFEDERATED TRIBES OF THE UMATILLA INDIAN RESERVATION INVASIVE WEED LIST					
Common name	Scientific name	Draft CTUIR IWMP Designation	Known to occur in CTUIR IWMP Planning Area?	Umatilla County Noxious Weed List Designation	Oregon Noxious Weed List Designation
Bur chervil	<i>Anthriscus caucalis</i>	Priority 1- small, isolated infestations; Priority 3- large, established infestations	Yes		
Common bugloss	<i>Anchusa officinalis</i>	Priority 1	Yes	A-listed	B-listed, T-listed
Common crupina	<i>Crupina vulgaris</i>	Priority 1	Yes	A-listed	B-listed
Dalmatian toadflax	<i>Linaria dalmatica</i>	Priority 1	Yes	B-listed	B-listed, T-listed
Garlic mustard	<i>Alliaria petiolata</i>	Priority 1	Yes	A-listed	B-listed, T-listed
Myrtle spurge	<i>Euphorbia myrsinites</i>	Priority 1	Yes	A-listed	B-listed
Purple loosestrife	<i>Lythrum salicaria</i>	Priority 1	Yes	A-listed	B-listed
Rush skeletonweed	<i>Chondrilla juncea</i>	Priority 1	Yes	A-listed	B-listed, T-listed
Russian olive	<i>Elaeagnus angustifolia</i>	Priority 1- small, isolated infestations; Priority 2- large, established infestations	Yes		
Spotted knapweed	<i>Centaurea stoebe</i>	Priority 1	Yes	A-listed	B-listed, T-listed
Tansy ragwort	<i>Senecio jacobaea</i>	Priority 1	Yes	A-listed	B-listed
Tree of heaven	<i>Ailanthus altissima</i>	Priority 1	Yes		B-listed
Whitetop (hoary cress)	<i>Cardaria draba</i>	Priority 1	Yes	B-listed	
Bachelor's button	<i>Centaurea cyanus</i>	Priority 1- small, isolated infestations; Priority 2- large, established infestations	Yes		
Yellow starthistle	<i>Centaurea solstitialis</i>	Priority 1- small, isolated infestations; Priority 2- large, established infestations	Yes	B-listed	B-listed
Canada thistle	<i>Cirsium arvense</i>	Priority 1- small, isolated infestations; Priority 3- large, established infestations	Yes	B-listed	B-listed
Diffuse knapweed	<i>Centaurea diffusa</i>	Priority 1- small, isolated infestations; Priority 3- large, established infestations	Yes	B-listed	B-listed
Himalayan blackberry	<i>Rubus armeniacus</i>	Priority 1- small, isolated infestations; Priority 3- large, established infestations	Yes		B-listed

**TABLE C-1
2018 CONFEDERATED TRIBES OF THE
UMATILLA INDIAN RESERVATION INVASIVE WEED LIST**

Common name	Scientific name	Draft CTUIR IWMP Designation	Known to occur in CTUIR IWMP Planning Area?	Umatilla County Noxious Weed List Designation	Oregon Noxious Weed List Designation
Multiflora rose	<i>Rosa multiflora</i>	Priority 1- small, isolated infestations; Priority 3- large, established infestations	Yes		
Russian knapweed	<i>Acroptilon repens</i>	Priority 1- small, isolated infestations; Priority 3- large, established infestations	Yes	B-listed	B-listed
Spikeweed	<i>Centromadia pungens</i>	Priority 1	Yes	A-listed	B-listed
Sulfur cinquefoil	<i>Potentilla recta</i>	Priority 1- small, isolated infestations; Priority 3- large, established infestations	Yes		B-listed
Yellow flag iris	<i>Iris pseudacorus</i>	Priority 1	Yes	A-listed	B-listed
Bull thistle	<i>Cirsium vulgare</i>	Priority 2	Yes		B-listed
Musk thistle	<i>Carduus nutans</i>	Priority 2	Yes	B-listed	B-listed
Perennial pepperweed	<i>Lepidium latifolium</i>	Priority 2	Yes		B-listed, T-listed
Puncturevine	<i>Tribulus terrestris</i>	Priority 2	Yes	B-listed	B-listed
Scotch thistle	<i>Onopordum acanthium</i>	Priority 2	Yes	B-listed	B-listed
Spreading hedge-parsley	<i>Torilis arvensis</i>	Priority 2	Yes		
Swainsonpea	<i>Sphaerophysa salsula</i>	Priority 2	Yes		B-listed
Viper's bugloss	<i>Echium vulgare</i>	Priority 2	Yes	A-listed	
Black locust	<i>Robinia pseudoacacia</i>	Priority 3	Yes		
Bulbous bluegrass	<i>Poa bulbosa</i>	Priority 3	Yes		
Catchweed	<i>Asperugo procumbens</i>	Priority 3	Yes		
Cereal rye	<i>Secale cereale</i>	Priority 3	Yes	B-listed	
Cheatgrass	<i>Bromus tectorum</i>	Priority 3	Yes		
Common mullein	<i>Verbascum thapsus</i>	Priority 3	Yes		
Common teasel	<i>Dipsacus fullonum</i>	Priority 3	Yes		
Field bindweed	<i>Convolvulus arvensis</i>	Priority 3	Yes		B-listed, T-listed
Houndstongue	<i>Cynoglossum officinale</i>	Priority 3	Yes		B-listed
Jointed goatgrass	<i>Aegilops cylindrica</i>	Priority 3	Yes	B-listed	B-listed
Kochia	<i>Bassia scoparia</i>	Priority 3	Yes	B-listed	B-listed

**TABLE C-1
2018 CONFEDERATED TRIBES OF THE
UMATILLA INDIAN RESERVATION INVASIVE WEED LIST**

Common name	Scientific name	Draft CTUIR IWMP Designation	Known to occur in CTUIR IWMP Planning Area?	Umatilla County Noxious Weed List Designation	Oregon Noxious Weed List Designation
Medusahead	<i>Taeniatherum caput-medusae</i>	Priority 3	Yes	B-listed	B-listed
Poison hemlock	<i>Conium maculatum</i>	Priority 3	Yes	B-listed	B-listed
Rattail fescue	<i>Vulpia myuros</i>	Priority 3	Yes		
Reed canarygrass	<i>Phalaris arundinaceae</i>	Priority 3	Yes		B-listed, T-listed
Russian thistle	<i>Salsola kali</i>	Priority 3	Yes		
Smooth brome	<i>Bromus inermis</i>	Priority 3	Yes		
St. Johnswort	<i>Hypericum perforatum</i>	Priority 3	Yes	B-listed	B-listed
Sweetbriar rose	<i>Rosa eglanteria</i>	Priority 3	Yes		
Tall oatgrass	<i>Arrhenatherum elatius</i>	Priority 3	Yes		
Ventenata	<i>Ventenata dubia</i>	Priority 3	Yes		
Buffalo bur	<i>Solanum rostratum</i>	Watch list	No		B-listed
Butterfly bush	<i>Buddleja davidii</i>	Watch list	No		B-listed
Camelthorn	<i>Alhagi pseudalhagi</i>	Watch list	No	A-listed	A-listed
Common reed	<i>Phragmites australis</i>	Watch list	No		B-listed
Creeping yellowcress	<i>Rorippa sylvestris</i>	Watch list	No	A-listed	B-listed
Dodder	<i>Cuscuta pentagona</i>	Watch list	No	B-listed	B-listed
Dyer's woad	<i>Isatis tinctoria</i>	Watch list	No		B-listed
Eurasian watermilfoil	<i>Myriophyllum spicatum</i>	Watch list	No		B-listed
False indigo bush	<i>Amorpha fruticosa</i>	Watch list	No		B-listed
Flowering rush	<i>Butomus umbellatus</i>	Watch list	No	A-listed	B-listed, T-listed
Japanese knotweed	<i>Polygonum cuspidatum</i>	Watch list	No	A-listed	B-listed
Johnsongrass	<i>Sorghum halepense</i>	Watch list	No	B-listed	B-listed
Leafy spurge	<i>Euphorbia esula</i>	Watch list	No	A-listed	B-listed, T-listed
Marijuana	<i>Cannabis sativa</i>	Watch list	No	A-listed	
Meadow hawkweed	<i>Hieracium pratense</i>	Watch list	No		B-listed, T-listed
Meadow knapweed	<i>Centaurea x moncktonii</i>	Watch list	No	A-listed	B-listed
Mediterranean sage	<i>Salvia aethiops</i>	Watch list	No	B-listed	
Milk thistle	<i>Silybum marianum</i>	Watch list	No		B-listed

TABLE C-1
2018 CONFEDERATED TRIBES OF THE
UMATILLA INDIAN RESERVATION INVASIVE WEED LIST

Common name	Scientific name	Draft CTUIR IWMP Designation	Known to occur in CTUIR IWMP Planning Area?	Umatilla County Noxious Weed List Designation	Oregon Noxious Weed List Designation
Orange hawkweed	<i>Hieracium aurantiacum</i>	Watch list	No		B-listed
Perennial peavine	<i>Lathyrus latifolius</i>	Watch list	No		B-listed
Purple starthistle	<i>Centaurea calcitrapa</i>	Watch list	No	A-listed	A-listed, T-listed
Quackgrass	<i>Agropyron repens</i>	Watch list	No	B-listed	
Ragweed	<i>Ambrosia artemesifolia</i>	Watch list	No	B-listed	B-listed
Ravenna grass	<i>Saccharum ravennae</i>	Watch list	No		A-listed, T-listed
Saltcedar	<i>Tamarix ramosissima</i>	Watch list	No		B-listed, T-listed
Scotch broom	<i>Cytisus scoparius</i>	Watch list	No		B-listed
Silverleaf nightshade	<i>Solanum elaeagnifolium</i>	Watch list	No		A-listed
Spiny cocklebur	<i>Xanthium spinosum</i>	Watch list	No		B-listed
Yellow nutsedge	<i>Cyperus esculentus</i>	Watch list	No		B-listed
Yellow toadflax	<i>Linaria vulgaris</i>	Watch list	No		B-listed

Attachment C – CTUIR Weed Treatment Record Datasheet

CTUIR WEED TREATMENT RECORD																									
Project Name:							Site ID:																		
Date of Application:		Treatment Location:																							
Time:		Tracklog/shapefile ID(s):																							
From a.m. p.m.		OR																							
To a.m. p.m.		UTM East:		UTM North:			Datum:																		
Total Hrs:		# People:																							
WEATHER		Sky Condition (circle): Clear Partly Cloudy Overcast Showers					Temp (F):																		
Wind Speed mph (circle):		No Wind (0-1)		Breeze (2-5)		Gusty (5-8)		Humidity: High Med Low																	
TARGET WEEDS		Species		Distribution (circle)				Phenology (circle)																	
Weed 1				Few plants Scattered plants Dense patch Infestation		Seedling Rosette Bolting Bud		Flowering Seed set Mature Dead																	
Weed 2				Few plants Scattered plants Dense patch Infestation		Seedling Rosette Bolting Bud		Flowering Seed set Mature Dead																	
Weed 3				Few plants Scattered plants Dense patch Infestation		Seedling Rosette Bolting Bud		Flowering Seed set Mature Dead																	
Weed 4				Few plants Scattered plants Dense patch Infestation		Seedling Rosette Bolting Bud		Flowering Seed set Mature Dead																	
CHEMICAL TREATMENT		Name(s) and License #(s) of person(s) who applied or supervised the application of pesticides (Indicate O=Operator, A= Applicator, T=Trainee):																							
Spot Application		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">Solution</th> <th style="width: 45%;">Full Product Name (incl. formulation type and manufacturer) or EPA #</th> <th style="width: 15%;">Rate/Acre (oz)</th> <th style="width: 35%;">Total chemical used (oz)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Solution 1</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">Solution 2</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">Solution 3</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>								Solution	Full Product Name (incl. formulation type and manufacturer) or EPA #	Rate/Acre (oz)	Total chemical used (oz)	Solution 1				Solution 2				Solution 3			
Solution	Full Product Name (incl. formulation type and manufacturer) or EPA #									Rate/Acre (oz)	Total chemical used (oz)														
Solution 1																									
Solution 2																									
Solution 3																									
Yes / No																									
Additive 1		Name:		Rate/acre (oz):		Total chemical used (oz):																			
Additive 2		Name:		Rate/acre (oz):		Total chemical used (oz):																			
Additive 3		Name:		Rate/acre (oz):		Total chemical used (oz):																			
Additive 4		Name:		Rate/acre (oz):		Total chemical used (oz):																			
Net acres treated (# each)			Upland:			Riparian*:																			
Total sol. used (gal):					Equip. application rate (gal/acre):																				
Application Equipment (# each)		ATV:		Booms:		Broadcast:		Backpack:		Spray bottle:															
Chemical Supplier:																									
MECHANICAL TREATMENT		Net acres treated:			# hours:			# people:																	
Treatment type:																									
NOTES:																									

*w/in 150ft of natural water occupied by listed salmonids during any part of the year or designated critical habitat; or w/in 100ft of other natural water

Attachment D – Map of Walla Walla Subbasin weed treatment locations

